

# Franklin International

## MATERIAL SAFETY DATA SHEET

MSDS Name: Ace Multipurpose Floor Covering Adhesive  
MSDS Number: 601135

Revision Date: 061404  
Page Number: 1 of 4

-----

### SECTION 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: Ace Multipurpose Floor Covering Adhesive  
CAS Number: none  
HMIS Hazard Rating: Health: 1 Fire: 1 Reactivity: 0

Company Identification: Franklin International  
2020 Bruck Street  
Columbus OH 43207

Contact: Franklin Technical Services  
Telephone/Fax: (800) 877-4583 (614) 445-1493  
Emergency Phone (24 Hour): Franklin Security  
(614) 445-1300  
Chemtrec (24 Hour): (800) 424-9300  
Chemtrec International: (703) 527-3887

Product Class: Polymer emulsion  
Product Use: adhesive  
Product Code: 7400

Division: Construction Adhesives & Sealants

### SECTION 2 - COMPOSITION AND INFORMATION ON INGREDIENTS

Hazardous Ingredients CAS Number Percent  
Product contains no hazardous ingredients or they are below reportable levels.

OSHA PELs & ACGIH TLVs are listed in Section 8 where applicable.

### SECTION 3 - HAZARD IDENTIFICATION

#### EMERGENCY OVERVIEW:

Beige, light bodied mastic. Mild odor. Extremely sticky in the wet state.

#### ROUTES OF ENTRY:

Ingestion: Yes  
Inhalation: Yes  
Skin: Yes  
Eye: Yes

#### INHALATION:

May be irritating to upper respiratory tract.

#### INGESTION:

Ingestion is not a probable route of exposure. Harmful if swallowed.

#### SKIN:

Prolonged or repeated skin contact can cause irritation.

#### EYE:

Mildly irritating to eyes.

#### MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:

Under conditions of normal use chronic affects are not expected.  
Possible aggravation of pre-existing skin conditions.

#### CARCINOGENICITY:

IARC: No  
NTP: No  
OSHA: No

#### REPRODUCTIVE TOXICITY:

This product has not been evaluated for reproductive toxicity.

#### TARGET ORGANS:

Eyes and skin.

### SECTION 4 - FIRST AID MEASURES

#### INHALATION:

Remove to fresh air. If difficulty persists, seek medical attention.

#### INGESTION:

Call poison control center immediately. Follow their specific

-----

# Franklin International MATERIAL SAFETY DATA SHEET

MSDS Name: Ace Multipurpose Floor Covering Adhesive  
MSDS Number: 601135

Revision Date: 061404  
Page Number: 2 of 4

---

instructions. Do not induce vomiting.

**SKIN:**

Wash with soap and water. Contact a physician if irritation develops or persists.

**EYE:**

Hold eyelids apart and flush with plenty of water for at least 15 minutes. Seek medical attention.

**SECTION 5 - FIRE-FIGHTING MEASURES**

Flammability Class (OSHA) IIIB  
Flash Point: > 200 F  
Setaflash  
Explosive Range: Not applicable

**EXTINGUISHING MEDIA:**

Use alcohol foam, carbon dioxide, water spray, or ABC dry chemical when fighting fires involving this product.

**HAZARDOUS COMBUSTION PRODUCTS:**

Oxides of carbon may be released during combustion.

**FIRE FIGHTING PROCEDURES:**

Wear a NIOSH approved self-contained breathing apparatus.

**SECTION 6 - ACCIDENTAL RELEASE MEASURES**

**CONTAINMENT TECHNIQUES:**

Use inert absorbent to dike the spill. Keep away from drains.

**CLEAN-UP:**

Spread absorbent over material and scrape up material/absorbent and place in an approved container. If product has dried scrape up and place in an approved container.

**EMERGENCY MEASURES:**

Isolate hazard area. Keep unnecessary and unprotected personnel from entering area. Wear all appropriate personal protection equipment (PPE) (see Section 8).

**SECTION 7 - HANDLING AND STORAGE**

**HANDLING:**

Wash thoroughly after handling.  
Avoid prolonged or repeated contact with the skin.

**STORAGE:**

Keep from freezing.

**PRECAUTIONARY STATEMENT:**

Keep out of the reach of children.

**SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION**

Occupational Exposure Limits  
ACGIH TLV      ACGIH TLV-C      ACGIH STEL      OSHA STEL      OSHA PEL

**ENGINEERING CONTROLS:**

Use local exhaust as needed to maintain occupational exposure limits.

**OTHER:**

Facilities storing or utilizing any chemical should be equipped with an eyewash facility and a safety shower.

**RESPIRATORY PROTECTION:**

Respiratory protection is not expected to be necessary under normal use. Follow requirements for respiratory protection in OSHA 1910.134.

**EYE PROTECTION:**

Chemical splash goggles (ANSI Z87.1 or approved equivalent).

**SKIN PROTECTION:**

Where skin contact can occur, wear impervious gloves.

**SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES**

Form: Mastic  
Appearance/Color: Beige  
Odor: Mild

---

# Franklin International MATERIAL SAFETY DATA SHEET

MSDS Name: Ace Multipurpose Floor Covering Adhesive  
MSDS Number: 601135

Revision Date: 061404  
Page Number: 3 of 4

---

Solubility (in water): Miscible  
pH Value: 9.7  
Boiling Range/Point: 212.°F  
Evaporation Rate: Slower than n-Butyl Acetate  
% Volatile: 33.8%  
Specific Gravity: 1.22  
VOC: 15.1 g/l

## SECTION 10 - STABILITY AND REACTIVITY

Stability: This product is stable  
Hazardous Polymerization: Hazardous polymerization will not occur

**CONDITIONS TO AVOID:**  
Strong acids and strong bases

**INCOMPATIBILITY:**  
Easily oxidizable materials.

## SECTION 11 - TOXICOLOGICAL INFORMATION

This formulation has a low order of acute and chronic toxicity by all routes of exposure. Prolonged or repeated exposure may cause skin irritation. Direct contact may cause eye irritation.

Exposure to any chemical substance, including those with a low order of toxicity, should be controlled and minimized to avoid harmful effects.

## SECTION 12 - ECOLOGICAL INFORMATION

This formulation has not been tested for environmental effects.

## SECTION 13 - DISPOSAL CONSIDERATIONS

### WASTE DISPOSAL:

Disposal of this product must comply with all applicable federal, state and local regulations.

### CONTAINER DISPOSAL:

Disposal of this container should comply with all applicable federal, state and local regulations.

## SECTION 14 - TRANSPORT INFORMATION

UN Number none  
UN Pack Group N/A  
UN Class Nonhaz  
ICAO/IATA Class Nonhazardous  
IMDG Class Nonhazardous  
Shipping Name Nonhazardous

Packaging may not be approved for shipping by air. Please contact Franklin International for further information.

## SECTION 15 - REGULATORY INFORMATION

### TSCA (Toxic Substances Control Act Inventory):

All components of this product are listed on the TSCA inventory except as exempted.

### PENNSYLVANIA:

Hazardous components required to be listed at 1% or more:

clay; kaolin; 1332-58-7

Non-hazardous components required to be listed at 3% or more:

hydrocarbon resin mixture; mineral oil 64742-52-5; water 7732-18-5;

styrene-butadiene latex 9003-55-8

### NEW JERSEY:

---

# Franklin International MATERIAL SAFETY DATA SHEET

MSDS Name: Ace Multipurpose Floor Covering Adhesive  
MSDS Number: 601135

Revision Date: 061404  
Page Number: 4 of 4

---

water 7732-18-5; clay 1332-58-7; hydrocarbon resin mixture; mineral  
oil 64742-52-5; styrene-butadiene latex 9003-52-5

## SECTION 16 - OTHER INFORMATION

### DISCLAIMER:

While the information and recommendations set forth herein are believed to be accurate as of the data hereof, Franklin International makes no warranty, express or implied, with respect thereto and disclaims all liability from reliance thereon.